

a. contacting the sample with a specific binding entity reactive to human iNOS, said specific binding entity selected from the group consisting of oligonucleotides, polymers as artificial antibodies, and phage display binding sites; and

b. detecting the presence of human iNOS protein in said sample, said specific binding entity recognizing a region of human iNOS protein.

1.126
43 (Newly Added). The method of claim 41 in which said region of human iNOS protein is selected from the group consisting of the sequences: NNNVEKAPCATSSPVTQD (SEQ ID NO 32), SPVTQDDLQYHNLSKQQN (SEQ ID NO 26), NNNVEKAPCATSSPVTQD and SPVTQDDLQYHNLSKQQN (SEQ ID NO 29), PALVQGILERVVDGPTPH (SEQ ID NO 30), GIVPFRSFWQQRLHDSQH (SEQ ID NO 25), and RMTLVFGSRRPDEDHITQ (SEQ ID NO 31).

44 (Newly Added). The method of claim 43 in which said region of human iNOS protein is selected from the group consisting of the sequences: NNNVEKAPCATSSPVTQD (SEQ ID NO 32), SPVTQDDLQYHNLSKQQN (SEQ ID NO 26), NNNVEKAPCATSSPVTQD and SPVTQDDLQYHNLSKQQN (SEQ ID NO 29), PALVQGILERVVDGPTPH (SEQ ID NO 30), GIVPFRSFWQQRLHDSQH (SEQ ID NO 25), and RMTLVFGSRRPDEDHITQ (SEQ ID NO 31).

45 (Newly Added). The method of claim 41 in which said immunoassay is selected from the group comprising: direct, indirect, capture, competitive binding, and displacement.

1.126
46⁴⁷(Newly Added). The method of claim ⁴²41 in which said step of detecting the presence of human iNOS protein comprises a qualitative analysis.

1.126
47⁴⁸(Newly Added). The method of claim ⁴²41 in which said step of detecting the presence of human iNOS comprises a quantitative analysis.

1.126
48⁴⁹(Newly Added). An immunoassay method for a sample comprising the steps of:

a. contacting the sample with a specific binding entity reactive to mimics of human iNOS protein;

b. detecting the presence of human iNOS protein in said sample, said specific binding entity being reactive to mimics of a region of human iNOS protein.

1.126
49⁵⁰(Newly Added). The method of claim ⁴⁹48 in which said specific binding entity is selected from the group consisting of: peptides, recombinant peptides, fusion proteins, fusion peptides, phage displayed proteins, phage displayed peptides, peptide libraries, and peptide analogue libraries.

1.126
50⁵¹(Newly Added). The method of claim ⁵⁰49 in which said region of human iNOS protein is selected from the group consisting of the sequences: NNNVEKAPCATSSPVTQD (SEQ ID NO 32), SPVTQDDLQYHNLSKQQN (SEQ ID NO 26), NNNVEKAPCATSSPVTQD and SPVTQDDLQYHNLSKQQN (SEQ ID NO 29), PALVQGILERVVDGPTPH (SEQ ID NO 30), GIVPFRSFWQQRLHDSQH (SEQ ID NO 25), and RMTLVFGSRRPDEDHITQ (SEQ ID NO 31).

52
51(Newly Added). The method of claim 48⁴⁹ in which said immunoassay is selected from the group comprising: direct, indirect, capture, competitive binding, and displacement.

53
52(Newly Added). The method of claim 48⁴⁹ in which said immunoassay is a clinical diagnostic assay.

54
53(Newly Added). The method of claim 48⁴⁹ in which said step of revealing the presence of human iNOS protein is a qualitative analysis.

55
54(Newly Added). The method of claim 48⁴⁹ in which said step of revealing the presence of human iNOS is a quantitative analysis.

56
55(Newly Added). The method of claim 48⁴⁹ in which said specific binding entity is any one of the peptide analogues of Table VII.

57
56(Newly Added). The method of claim 48⁴⁹ in which said specific binding entity is any one of the peptide analogues of Table IX.

58
57(Newly Added). The assay of claim 48⁴⁹ which is of the type selected from the group consisting of: IFA, linear or radial flow, Western Blot, ELISA, dip stick, fluorescent polarization, enzyme capture, and RIA.

59
58(Newly Added). The assay of claim 48⁴² which is of the type selected from the group consisting of: IFA, linear or radial flow, Western Blot, ELISA, dip stick, fluorescent polarization, enzyme capture, and RIA.